

Certificate of Analysis

Reformatted from image-based laboratory certificate for internal reference.
Original source image included below for evidentiary continuity.

COMPOUND TESTING LABORATORY	BATCH / LOT Pending Review	SAMPLE ID JM-BPCTB-10-111325
LABEL CLAIM Pending Review	RECEIVED Pending Review	TESTED November 27, 2025

Analytical Results

Test	Result	Unit	Spec	Method	Status
Extracted Data	Manual review required				CHECK

Source Attribution

Detected source style: testides
Original lab name: TESTIDES
Analyst: N/A

Original Source Image



TESTIDES
NORTH AMERICA'S LEADING
PEPTIDE TESTING LABORATORY

REPORT NUMBER
JM-BPCTB-10-112825
GENERATED
1/26/2026

Endotoxin Testing Report
Bacterial Endotoxin Test (LAL)

SAMPLE INFORMATION	TEST INFORMATION
Sample ID: JM-BPCTB-10-111325 Customer: HKroads Date Collected: November 10, 2025 Date Tested: November 27, 2025	Method: LAL Gel-Clot (sensitivity 0.125 EU/mL) Status: Complete

TEST RESULTS

RESULT

< 0.125 EU/mL

INTERPRETATION

Pass — endotoxin not detected at or above 0.125 EU/mL; meets endotoxin specification.



OCR Notes

REPORT NUMBER
TESTIDES

JM-BPCTB-10-112825
TRUELABS.ME | health@truelabs.me | +61 481 835 854 (WhatsApp)
NORTH AMERICA'S LEADING
PEPTIDE TESTING LABORATORY



Authorized Signatory

Laboratory Director
Research Use Only