

Certificate of Analysis

Reformatted from image-based laboratory certificate for internal reference.
Original source image included below for evidentiary continuity.

COMPOUND Semaglutide	BATCH / LOT Number	SAMPLE ID selection
LABEL CLAIM 5 mg	RECEIVED Pending Review	TESTED Pending Review

Analytical Results

Test	Result	Unit	Spec	Method	Status
Purity	99.80%	%	As reported	HPLC-UV-MS	PASS
Content	5 mg		5 mg	HPLC-UV-MS	PASS

Source Attribution

Detected source style: generic
Original lab name: N/A
Analyst: N/A

Original Source Image




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

Semaglutide 5 mg

Report To:

Compound: Semaglutide
Quantity: 5 mg
Laboratory ID:
Lot Number:
Date Reported: 12/18/2025



Analysis	Method	Result (Per Vial)	
Chromatographic Purity	HPLC-UV/VIS	>99.80%	>99.80%
Quantity	HPLC-UV/VIS	6.26 mg	6.14 mg




Report By: Dustin Newman, Laboratory Director on 12/18/2025


Approved By: Tori Johnson, Operations Manager on 12/18/2025



Please consult A2LA Certificate 96377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

vanguardlaboratory.com
testing@vanguardlaboratory.com



OCR Notes

et