

Certificate of Analysis

Reformatted from image-based laboratory certificate for internal reference.
Original source image included below for evidentiary continuity.

COMPOUND CJC-1295 with DAC	BATCH / LOT 01	SAMPLE ID selection
LABEL CLAIM 5 mg	RECEIVED Pending Review	TESTED Pending Review

Analytical Results

Test	Result	Unit	Spec	Method	Status
Content	5 mg		5 mg	N/A	PASS

Source Attribution

Detected source style: generic
Original lab name: N/A
Analyst: N/A

Original Source Image




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

CJC-1295 with DAC 5 mg

Report To:

Compound: CJC-1295 with DAC
Quantity: 5 mg
Laboratory ID: V260218-4 008
Lot Number: 01.17
Date Reported: 3/3/2026



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	99.02% ± 0.18%
Quantity	HPLC-UV/VIS	6.24 mg



Report By: Dustin Newman, Laboratory Director on 3/3/2026

Approved By: Tori Johnson, Operations Manager on 3/3/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

vanguardlaboratory.com
testing@vanguardlaboratory.com

OCR Notes

eo

Wy

Vanguard Laboratory
TRUELABS.ME | health@truelabs.me | +61 481 835 854 (WhatsApp)
ee

ees



Authorized Signatory

Laboratory Director

Research Use Only