

Certificate of Analysis

Reformatted from image-based laboratory certificate for internal reference.
Original source image included below for evidentiary continuity.

COMPOUND GLOW	BATCH / LOT 01	SAMPLE ID selection
LABEL CLAIM 50 mg	RECEIVED Pending Review	TESTED Pending Review

Analytical Results

Test	Result	Unit	Spec	Method	Status
Purity	99.50%	%	As reported	HPLC-UV-MS	PASS
Content	50 mg		50 mg	HPLC-UV-MS	PASS

Source Attribution

Detected source style: generic
Original lab name: N/A
Analyst: N/A

Original Source Image




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLOW 50 mg/10 mg/10 mg

Report To:

Compound: GLOW
Quantity: 50 mg/10 mg/10 mg
Laboratory ID: V260218-4 013
Lot Number: 01.17
Date Reported: 3/3/2026



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	>99.50% ± 0.18%
Quantity: GHK-Cu	HPLC-UV/VIS	61.55 mg
Quantity: BPC-157	HPLC-UV/VIS	10.96 mg
Quantity: TB-500	HPLC-UV/VIS	11.91 mg



Report By: Dustin Newman, Laboratory Director on 3/3/2026
Approved By: Tori Johnson, Operations Manager on 3/3/2026



17025/2017
ACCREDITED
LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

vanguardlaboratory.com
testing@vanguardlaboratory.com

OCR Notes

at
WY
TRUELABS.ME | health@truelabs.me | +61 481 835 854 (WhatsApp)
Vanguard Laboratory



Authorized Signatory

Laboratory Director

Research Use Only

9s