

Certificate of Analysis

Reformatted from image-based laboratory certificate for internal reference.
Original source image included below for evidentiary continuity.

COMPOUND TESTING LABORATORY GENERAL LABEL CLAIM Pending Review	BATCH / LOT Pending Review RECEIVED Pending Review	SAMPLE ID NY-HGH-10-021728 TESTED February 22, 2026
---	---	--

Analytical Results

Test	Result	Unit	Spec	Method	Status
Extracted Data	Manual review required				CHECK

Source Attribution

Detected source style: testides
Original lab name: TESTIDES
Analyst: N/A

Original Source Image



TESTIDES
NORTH AMERICA'S LEADING
PEPTIDE TESTING LABORATORY

REPORT NUMBER
NY-HGH-10-021726E

GENERATED
3/5/2026

Endotoxin Testing Report
Bacterial Endotoxin Test (LAL)

SAMPLE INFORMATION	TEST INFORMATION
Sample ID: NY-HGH-10-021726 Customer: NY Date Collected: February 17, 2026 Date Tested: February 22, 2026	Method: LAL Gel-Clot (sensitivity 0.125 EU/mL) Status: Complete

TEST RESULTS

RESULT

< 0.125 EU/mL

INTERPRETATION

Pass

NOTES
Pass — endotoxin not detected at or above 0.125 EU/mL; meets endotoxin specification.

Testides provides analytical testing services and reports laboratory results for the submitted sample only. Testides does not recommend, promote, endorse, certify, or validate the personal or clinical use of research chemicals, nor does it provide medical advice. Any risk assessment language is presented solely as a calculation based on client-provided assumptions (including route of administration and maximum daily dose) and must not be interpreted as a determination of safety, suitability for human use, or regulatory compliance for any finished drug.

OCR Notes

REPORT NUMBER

NORTH AMERICA'S LEADING

TESTIDES
TRUELABS.ME | health@truelabs.me | +61 481 835 854 (WhatsApp)
NY-HGH-10-021726E

PEPTIDE TESTING LABORATORY



Authorized Signatory

Laboratory Director
Research Use Only